

# NewPassleader

NewPassLeader

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Select a vendor...

Select an test...

Your email address

Free Download Demo

Try **PDF Demo** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

## What Client's Say

“ I purchased the exam questions which were not up to par so that I failed once. Now the second time, I make the right choice to purchase newpassleader 120-968 files, I pass. Thanks very much. I will buy more ”



Gloria  
★★★★★

“ The 400-151 Dumps are very helpful, I attend the exam and passed in my first shot. ”



Juliet  
★★★★★

<http://www.newpassleader.com/>

Attentive Service Exam Torrent and Valid Dumps - NewPassLeader

**Exam :** MB7-222

**Title :** Navision 4.0 C/SIDE Solution  
Development

**Vendors :** Microsoft

**Version :** DEMO

NO.1 You have added a command button to a form that calls a codeunit when it is pressed (using

RunObject). The OnRun trigger of the codeunit modifies the customer record as follows:

```
IF Customer.GET(CustNo) THEN BEGIN
```

```
Customer.'Chain Name' := NewChainName;
```

```
Customer.MODIFY;
```

```
END; // Other code here
```

When does the customer change get committed to the database?

- A. The change gets committed automatically with an implicit commit immediately following the modify statement.
- B. The change will not get committed since you did not use the commit statement.
- C. The change gets committed automatically at the end of the execution of the codeunit.
- D. The change gets committed automatically when the user leaves the record or the form.

Answer: C

NO.2 When must the SourceExpr property be populated for a Label control?

- A. When the Label control is bound to a Textbox control.
- B. Never, there is no such property for Label controls.
- C. Only when the control is placed on an unbound form.
- D. When the ParentControl property of the Label control is set to the Source Table.

Answer: B

NO.3 Which of the following is a true statement regarding subforms?

- A. A subform must contain a tablebox control.
- B. A subform usually contains a tablebox control.
- C. A subform must contain a worksheet control.
- D. A subform must not be editable.

Answer: B

NO.4 Which of the following would NOT be a valid reason to apply Grouping in a Microsoft?Navision?report?

- A. To cause the report to print a new page for each Salesperson when printing a list of Customers.
- B. To print a subtotal of the Balance field for each Salesperson when printing a list of Customers.
- C. To cause two or more Customer reports to print simultaneously for each Salesperson.
- D. To cause the report to print a sub-heading each time the Salesperson code changes when

printing a  
list of Customers.

Answer: C

NO.5 You have created a journal table. You need to write code that identifies whether a line in the journal is empty. You will use this functionality in many places. Using Microsoft Navision standards, how would you implement this code?

A. Since functions cannot be created in table objects, create a function in a codeunit that accepts a record

variable as a parameter and returns true if the line is empty and false otherwise.

B. Because the code can be placed in one Boolean expression, you should create a global variable that

holds the value of the expression and use that variable in all of the objects.

C. Create a function in the journal form that returns true if the line is empty and false otherwise. It will be

used mostly by the form anyway.

D. Create a function in the journal table that returns true if the line is empty and false otherwise.

Answer: D

NO.6 Which property of a Label control must be set in order to display a value on the control?

A. LabelName

B. Caption

C. Textbox

D. SourceExpr

Answer: B

NO.7 Which property on a Subform control would determine the form to be displayed?

A. FormID

B. SourceDataLink

C. SubFormID

D. SubFormLink

Answer: C

NO.8 Form A calls a function in a Single Instance Codeunit and populates a global text variable with the value

'Red'. Then, Form B calls the same function and populates the same text variable with the value 'Blue'.

Which of the following would be TRUE if Form A were to then call another function in the same Single

Instance Codeunit, and retrieve the same global text variable?

- A. The value of the text variable would be 'Red'.
- B. The value of the text variable would be 'Blue'.
- C. The text variable would contain a null value.
- D. A LOCKTABLE error would occur.

Answer: B

NO.9 What is the maximum number of fields that can be contained in a primary key?

- A. 1
- B. 2
- C. 20
- D. 40

Answer: C

NO.10 What two properties would you change to ensure that a button control on a form remains in the same relative position if the form is resized?

- A. HorzAlign and VertAlign
- B. HorzGlue and VertGlue
- C. HorzDock and VertDock
- D. XPos and Ypos

Answer: B

NO.11 Which of the following lines of code would be a proper way to access a Codeunit from another object?

- A. DO CODEUNIT::"MyCodeunit";
- B. RUN = CODEUNIT::"MyCodeunit";
- C. CODEUNIT.RUNMODAL(CODEUNIT::"MyCodeunit");
- D. CODEUNIT.RUN(CODEUNIT::"MyCodeunit");

Answer: D

NO.12 Which of the following controls would you add to a form to display a subform?

- A. PictureBox
- B. Subform

- C. Tablebox
- D. Tab Control

Answer: B

NO.13 Both GET and FIND are C/AL functions used to retrieve a record from a table in the database. What key(s) can be used in this process?

- A. GET can use any key the developer selects, while FIND can only use the primary key.
- B. FIND can use any key the developer selects, while GET can only use the primary key.
- C. Both functions can use whatever key the developer selects.
- D. Both functions can only use the primary key.

Answer: B

NO.14 When upgrading MenuSuites, if a menu item has been added to a menu group that is no longer a part of the upgraded MenuSuite, what happens to the menu item?

- A. The menu item is deleted.
- B. The menu item is placed in a Lost Items group at the bottom of the menu tree.
- C. The menu item is placed in a Deleted Items group.
- D. The menu item is highlighted at the top of the menu tree.

Answer: B

NO.15 Which XMLPort TagName property causes flowfields to be calculated automatically?

- A. FlowCalc
- B. CalcFlow
- C. CalcFields
- D. DoCalcs

Answer: C

NO.16 Select from the following SETFILTER lines, the one that is equivalent to:

Customer.SETRANGE('No.',  
LowValue, HighValue);

- A. Customer.SETFILTER('No.', '%1|%2', LowValue, HighValue);
- B. Customer.SETFILTER('No.', LowValue, HighValue);
- C. Customer.SETFILTER('No.', '%1..%2', LowValue, HighValue);
- D. Customer.SETFILTER('No.', LowValue..HighValue);

Answer: C

NO.17 Which of the following commands would be best to use in C/AL to change a closing date to a normal date?

- A. NORMALIZEDATE
- B. COMPRESSDATE
- C. WORKDATE
- D. NORMALDATE

Answer: D

NO.18 Which of the following statements is true regarding C/AL programming?

- A. Is based on the Microsoft C programming language.
- B. Can be found in any Microsoft Navision?application object.
- C. Requires that each line be identified by line number.
- D. Can be found in object areas known as "events".

Answer: B

NO.19 Which statement best describes how MenuSuite object changes are stored?

- A. Each change is stored as a complete list of MenuSuite menus and items and replaces the previous level.
- B. Changes are stored as the difference between the previous MenuSuite level and the current one.
- C. Only one MenuSuite level is stored which consists of all menu items.
- D. MenuSuite changes are not stored.

Answer: B

NO.20 In a Function, when a parameter is specified as Var, it means:

- A. The parameter is passed as a variant.
- B. The parameter is passed by value rather than reference.
- C. The parameter has variable lengths.
- D. The parameter is passed by reference rather than value.

Answer: D